

Name: Harmonie Gundry

Subdivision: North Hokianga

Date: 26/01/2022

Meetings Attended

Date	Meeting	Comments
14/12/2022	K-H-B-C meeting.	Nil
19/12/2022	Kaikohe-Hokianga Community Board Strategic Plan Workshop.	Attended via Teams.

Community Issues

Issue name	Comment
Rubbish	Pawarenga & Broadwood have rubbish issue due to pest have requested for a tip at the top of the junction – Pawarenga/ Runaruna turn off and a tip at Pawarenga community centre.
	Broadwood have requested for tip for rubbish at the A&P pickup zone by town hall to reduce pest getting amongst the rubbish.
Back Road Maintenance	Pawarenga/Paponga/ Mitimiti/ Rangipoint/ Mangataipa/ Rakautapu/ Otangaroa/ Proctors rd/ Runaruna road/ Need serious Maintenance either grading to smooth it out and slips need to be fixed.
Drain Maintenance	North Hokianga drains need to be maintained.
Road Maintenance	Daily Maintenance for our roads needs to reoccur here in North Hokianga for safety reasons, 1- Reduce number of car accidents out here in North Hokianga. 2- Health & Safety
Speed bumps/speed signs	This issue was brought to my attention that there should be a speed change from the recycle centre in Kohukohu to at least 60 or 50 due to safety of events and tangi that is being held in this area. Speed bumps should be put in place before the school and around the school as well - to slow down oncoming traffic for the kid's safety. There should also be speed bumps be put in place before the shop just after the Hotel to keep traffic flow slow.
Mangamuka Toilets	To be upgraded.

Town Light Upgrade - Kohukohu	Request that the Council install lighting consistent with our community plan and the Dark Sky criteria.
Broadwood swing Bridge	Awaiting response from Council.
Panguru	Foot path from clinic to road end of Tautoro Rd.

Requests for Service (RFS)

RFS number	Date	Comment
4143537	24/01/2023	Pawarenga community has requested for a solution (Rubbish Cage Tip) to reduce pests from getting into rubbish on a daily basis.
4140897	16/01/2023	The road Rakautapu is programmed for spraying and is awaiting FNDC approval.